

easySDI - Feature #94

Add a basemap component/module

12/07/2009 11:16 AM - Mérour Xavier

Status:	Closed	Start date:	12/07/2009
Priority:	Normal	Due date:	
Assignee:		% Done:	100%
Category:	MAP	Estimated time:	0.00 hour
Target version:	4.0.0	Ergonomic impact:	
Sponsor:			
Functional impact:			
Description			
<p>Currently, a list of basemap is definable under the component SHOP and then used to "pick one of this basemap for the SHOP front-end interface in step 2.</p> <p>We see that basemap can be used in many different components and modules (CATALOG for example too).</p> <p>I suggest to move this basemap list outside of the SHOP component and make a independant component (or module) to manage this list.</p> <p>Then other components like SHOP or CATALOG can point to the basemap item to choose the desired one.</p> <p>Any comments ?</p>			

History

#1 - 12/09/2009 08:50 AM - Magoni Bruno

This is a good idea to have a fully independant basemap container which can be reused inside several EasySDI components. As basemaps could be used by other EasySDI components, I would like to propose that basemaps definition will be part of the CORE component and not be a self component.

We must be aware when reengineering source code that basemaps definition are now used by the new MAP component.

#2 - 03/31/2010 03:17 PM - Mérour Xavier

- Assignee set to Magoni Bruno

Right Bruno... do you plan to apply these changes with EasySDI V2 ?

For the map, the logic is indeed quite similar with based layer... just that it can have several basemaps in the same MAP instance.

#3 - 12/02/2010 10:14 AM - Magoni Bruno

- Assignee deleted (Magoni Bruno)

Won't be done in V2 as we are still waiting to find a contributor to migrate SHOP from V1 to V2...

#4 - 12/02/2010 12:24 PM - Mérour Xavier

Are you talking about migrating SHOP or MAP component to V2 ?

#5 - 01/31/2011 12:52 PM - Magoni Bruno

- Assignee set to *Mérour Xavier*
- Target version set to *63*

Even if it should be implemented into CORE, it's a transversal need which concern SHOP and MAP.
But you're right as it seems better to think about this logical when refining MAP...and not SHP.

#6 - 12/20/2013 02:54 PM - Mérour Xavier

- Assignee changed from *Mérour Xavier* to *Magoni Bruno*

Can I have some refreshing news on this feature ?
Is there any thing done in EasySDI V4.0 in that direction ?

#7 - 12/20/2013 03:00 PM - Magoni Bruno

- Project changed from *CORE* to *easySDI*
- Target version deleted (*63*)

#8 - 12/20/2013 03:00 PM - Magoni Bruno

- Category set to *MAP*
- Status changed from *New* to *Accepted*
- Target version set to *4.0.0*

#9 - 12/20/2013 03:00 PM - Magoni Bruno

- Status changed from *Accepted* to *Affected*

#10 - 12/20/2013 03:03 PM - Magoni Bruno

- Status changed from *Affected* to *Resolved*
- Assignee deleted (*Magoni Bruno*)

Hi Xavier,

Good news about this feature :-)

In easySDI V4, administrator can create maps (previously map contexts) with MAP component.

All these maps can be used in other component (i.e. permieter's definition in SHOP component), so there is no more basemap or map context needed to be defined in other component than MAP! Each map is reusable totally in each easySDI component!

#11 - 12/20/2013 03:06 PM - Mérour Xavier

- % Done changed from *0* to *100*

It goes even further than just "basemap" since it can include other layers. Great news !

#12 - 12/20/2013 03:11 PM - Magoni Bruno

- Status changed from *Resolved* to *To merge*

#13 - 04/04/2014 03:20 PM - Magoni Bruno

- Status changed from To merge to Closed